

**AMENDMENT TRANSMITTAL LETTER**

ATTORNEY DOCKET NO.: 2000-IP-000991 U1 USA

SERIAL NO.: 10/618,328

JAN 14 2005  
JC50  
U.S. PATENT & TRADEMARK OFFICE

FILING DATE: July 11, 2003

INVENTION: Subterranean Well Pressure and Temperature Measurement

EXAMINER: Fitzgerald, John P.

GROUP ART UNIT: 2856

IPW

**TO THE COMMISSIONER FOR PATENTS:**

Transmitted herewith is an amendment in the above-identified application. The fee has been calculated as shown below.

CLAIMS AS AMENDED					LARGE ENTITY	
	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	NUMBER OF EXTRA CLAIMS PRESENT	RATE	ADDITIONAL FEE
TOTAL CLAIMS	68	-	105	0	X \$ 50 =	0
IND. CLAIMS	7	-	7	0	X \$200 =	0
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT					0	

XX No additional fee is required.

       A check in the amount of \$        is attached.

JANUARY 11, 2005  
Date



J. Richard Konneker  
Attorney for Applicants  
Registration No. 28,867  
KONNEKER & SMITH, P.C.  
660 N. Central Expwy.- Suite 230  
Plano, Texas 75074  
972/516-0030

I, hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450,

on January 11, 2005  
Diane Sutton



Docket No: 2000-IP-000991 U1 USA

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re the Patent Application of: Neal G. Skinner et al

Serial No.: 10/618,328

Filed: July 11, 2003

Entitled: **SUBTERRANEAN WELL PRESSURE  
AND TEMPERATURE MEASUREMENT**

Group Art Unit: 2856

Examiner: Fitzgerald, John P.

**AMENDMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Responsive to the October 13, 2004 Office Action therein, please amend the above-identified application as set forth below.

**Amendments to the Specification** begin on page 2 of this paper.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 3 of this paper.

**Remarks/Arguments** begin on page 19 of this paper.